UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/708,402	03/01/2004	Kousik Nandy	CSCO-034/305764	2401
26392 7590 02/24/2009 LAW FIRM OF NAREN THAPPETA C/O LANDON IP, INC.			EXAMINER	
			JACKSON, JENISE E	
1700 DIAGONAL ROAD, SUITE 450 ALEXANDRIA, VA 22314			ART UNIT	PAPER NUMBER
			2439	
			NOTIFICATION DATE	DELIVERY MODE
			02/24/2009	ELECTRONIC

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Notice of the Office communication was sent electronically on above-indicated "Notification Date" to the following e-mail address(es):

general@IPHORIZONS.COM lfnt2000@yahoo.com intercomm@iphorizons.com

	Application No.	Applicant(s)		
	10/708,402	NANDY ET AL.		
Office Action Summary	Examiner	Art Unit		
	JENISE E. JACKSON	2439		
The MAILING DATE of this communication ap Period for Reply	ppears on the cover sheet with the c	correspondence address		
A SHORTENED STATUTORY PERIOD FOR REPL WHICHEVER IS LONGER, FROM THE MAILING IDENTIFY TO BE A STATUTORY PERIOD FOR REPL WHICHEVER IS LONGER, FROM THE MAILING IDENTIFY TO BE A STATE OF THE MAILING IDENTIFY TO BE A STATE OF THE MAILING IDENTIFY THE MAILING IDENTIFY THE MAILING IDENTIFY THE MAILING IDENTIFY THE MAILING THE MAILING IDENTIFY THE MAI	DATE OF THIS COMMUNICATION .136(a). In no event, however, may a reply be tird d will apply and will expire SIX (6) MONTHS from the, cause the application to become ABANDONE	N. nely filed the mailing date of this communication. ED (35 U.S.C. § 133).		
Status				
1) ■ Responsive to communication(s) filed on 19 (2a) ■ This action is FINAL. 2b) ■ This action for allowed closed in accordance with the practice under	is action is non-final. ance except for formal matters, pro			
Disposition of Claims				
4) ✓ Claim(s) 1-75 is/are pending in the application 4a) Of the above claim(s) is/are withdra 5) ☐ Claim(s) is/are allowed. 6) ✓ Claim(s) 1-75 is/are rejected. 7) ☐ Claim(s) is/are objected to. 8) ☐ Claim(s) are subject to restriction and/	awn from consideration.			
Application Papers				
9) The specification is objected to by the Examin 10) The drawing(s) filed on is/are: a) ac Applicant may not request that any objection to the Replacement drawing sheet(s) including the correct 11) The oath or declaration is objected to by the E	ccepted or b) objected to by the edrawing(s) be held in abeyance. Section is required if the drawing(s) is ob	e 37 CFR 1.85(a). jected to. See 37 CFR 1.121(d).		
Priority under 35 U.S.C. § 119				
 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No. 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received. 				
Attachment(s) 1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO/SB/08) Paper No(s)/Mail Date 20040329.	4) Interview Summary Paper No(s)/Mail Do 5) Notice of Informal F 6) Other:	ate		

Application/Control Number: 10/708,402 Page 2

Art Unit: 2439

DETAILED ACTION

Claim Rejections - 35 USC § 102

1. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

- (e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.
- 2. Claims 1-75 are rejected under 35 U.S.C. 102(e) as being anticipated by Bahl et al(2003/0069016).
- 3. As per claims 1, 18, 34, Bahl et al discloses a method of providing a secure connection from a first end machine (i.e. mobile host) to a second end machine (i.e. correspondent host) (see fig. 2 sheet 2), said method being performed in said first end machine, said method comprising; negotiating a first set of attributes of a security association (SA) with said second end machine [0005, 0032-0033], wherein said first set of attributes are used to provide said secure connection to said second end machine; sending to said second end machine a first packet using said SA, wherein said first end machine is assigned a self address equaling a first address such that said first packet is sent with said first address and using said SA; detecting that said self address is changed to a new address [0040-0043]; sending a request to said second end machine, wherein said new address is contained in a payload portion of a packet forming said request, said request indicating that said self address has changed to said new address; and sending to said second end machine a second packet using said SA, wherein said second packet contains said new address as a source address, wherein said secure connection is provided using said SA both

before and after said self_address changed such that said secure communication can be provided with minimal overhead even if said self_address changes[0041-0043].

- 4. As per claims 2, 19, 35, 51, Bahl discloses encrypting a portion of said payload containing said new address to generate an encrypted data and including said encrypted data in said request[0043].
- 5. As per claims 3, 20, 36, 52, Bahl discloses including an authentication data in said payload, wherein said authentication data authenticates that said payload is sent from said first system[0042].
- 6. As per claims 4, 21, 37, Bahl discloses receiving from said second end machine a third packet in response to said second packet[0049].
- 7. As per claims 5, 22, 38, Bahl discloses wherein said second packet and said third packet relate to user applications [0030].
- 8. As per claim 6, Bahl discloses receiving a response from said second end machine, where said response indicates whether said new address is bound to said SA, wherein said second packet is sent after receiving said response[0033, 0038].
- 9. As per claims 7, 24, 40, Bahl discloses wherein a plurality of secure connections are provided between said first end machine and said second end machine[0005, 0030], wherein a plurality of SAs are present associated with corresponding ones of said plurality of secure connections, said method further comprising: including an identifier associated with each of said

plurality of SAs in said request, wherein said response indicates whether said new address is bound to all of said plurality of SAs in said second end machine[0033, 0043].

- 10. As per claims 8, 25, 32, 41, 48, 53, 61, Bahl discloses wherein said negotiating is performed according to Internet Security Association and Key Management Protocol (ISAKMP), and wherein said new address is contained in a ISAKMP portion of said payload[0033, 0043].
- 11. As per claim 9, Bahl discloses wherein said packet comprises an IP packet[0043].
- 12. As per claims 10, 26, 42, Bahl discloses wherein said first end device comprises a client system from which a user accesses a server system[0020].
- 13. As per claims 11, 27, 43, 49, Bahl discloses a method of providing a secure connection from a first end machine to a second end machine, said method being performed in said second end machine[0005, 0030], said method comprising: negotiating a first set of attributes of a security association (SA) with said first end machine, wherein said first set of attributes are used to provide said secure connection to said first end machine[0005, 0032-0033]; binding said SA to a first address, wherein said first address comprises a self_address of said first end machine; receiving a request indicating that said self_address of said first end machine is changed to a new address, wherein said new address is contained in a payload portion of a packet forming said request; and binding said SA to said new address[0042-0043].
- 14. As per claims 12, 28, 44, Bahl discloses wherein said payload portion is received in an encrypted format, said method further comprising decrypting said payload portion to determine said new address[0031, 0033].

15. As per claims 13, 29, 45, Bahl discloses receiving a first packet from said first end machine, wherein said first packet is received using said first address, wherein said first packet is received before receiving said request; receiving a second packet from said first end machine, wherein said second packet is received using said new address, wherein said second packet is received after receiving said request; and processing said first packet and said second packet using said SA[0032-0033, 0040-0043].

Page 5

- 16. As per claim 14, Bahl discloses sending a response to said first end machine upon receiving said request, where said response indicates whether said new address is bound to said SA, wherein said second packet is received after sending said response[0022-0023, 0042].
- 17. As per claims 15, 31, 47, Bahl discloses wherein a plurality of secure connections are provided between said first end machine and said second end machine, wherein a plurality of SAs are present associated with corresponding ones of said plurality of secure connections, wherein said request includes an identifier associated with each of said plurality of SAs in said request, wherein said response indicates whether said new address is bound to all of said plurality of SAs[0005, 0030, 0033, 0043].
- 18. As per claim 16, Bahl discloses wherein said negotiating is performed according to Internet Security Association and Key Management Protocol (ISAKMP), and wherein said request is sent consistent with a format specified by ISAKMP[0030].
- 19. As per claims 17, 33, Bahl discloses wherein said first end device comprises a gateway[0021].

- 20. As per claim 23, Bahl discloses sending a request to said second end machine, wherein said request indicates that said self_address has changed to said new address; and receiving a response from said second end machine, where said response indicates whether said new address is bound to said SA, wherein said second packet is sent after receiving said response[0022, 0024, 0030].
- 21. As per claims 30, 46, Bahl discloses receiving a request from said first end machine, wherein said request indicates that said self-address has changed to said new address; and sending a response to said first end machine, where said response indicates whether said new address is bound to said SA, wherein said second packet is received after sending said response[0032-0033, 0040-0043].
- 22. As per claim 39, Bahl discloses means for sending a request to said second end machine, wherein said request indicates that said self_address has changed to said new address; and means for receiving a response from said second end machine, where said response indicates whether said new address is bound to said SA, wherein said second packet is sent after receiving said response[0022, 0024, 0030].
- 23. As per claim 50, Bahl discloses a networking system comprising: a first end device and a second end device operable to: set up a secure connection between said first end device and said second end device, wherein said SA is bound to a first address in said second end device, wherein said first address comprises a self_address of said first end device, wherein said secure connection is based on a security association (SA); change said self_address of said first end device to a new address; send a request to said second end machine, wherein said new address is

contained in a payload portion of a packet forming said request, said request indicating that said self address has changed to said new address; and continue using said SA to provide said secure connection between said first end device and said second end device[0032-0033, 0043].

- 24. As per claim 54, Bahl discloses wherein said first end device comprises an address block detecting that said self_address has changed from said first address to said new address, said address block sending a request to said second end device indicating that said new address is to be bound to said SA[0042-0043].
- 25. As per claim 55, Bahl discloses wherein said second end device comprises: a memory storing a security association database (SAD) representing binding of SAs to corresponding self_addresses at the other end of security connections, wherein said SAD is modified to indicate that said new address is associated with said SA in response to receiving said request[0032-0033].
- 26. As per claim 56, Bahl discloses wherein said second end device further comprises: a connection management block negotiating a plurality of attributes with said first end device, wherein said plurality of attributes form said SA, said connection management block receiving said request and modifying said SAD to bind said SA to said new address[0005, 0032].
- 27. As per claim 57, Bahl discloses wherein said second end device comprises a gateway[0021].
- 28. As per claim 58, Bahl discloses a first end machine providing a secure connection to a second end machine, said first end machine comprising: a connection management block negotiating a first set of attributes of a security association (SA) with said second

end machine[0020, 0032], wherein said first set of attributes are used to provide said secure connection to said second end machine; an address block detecting that a self address of said first end machine is changed from a first address to a new address and sending a request to said second end machine[0042-0043], wherein said new address is contained in a payload of a packet forming said request, said request indicating that said self address has changed to said new address; and a secure transmission block sending to said second end machine a first packet using said SA, wherein said first end machine is assigned a self address equaling a first address such that said first packet is sent with said first address and using said SA, said secure transmission block sending a second packet using said SA and said new address after said address block detects that said self address is changed to said new address[0041-0043].

- 29. As per claim 59, Bahl discloses wherein said address block encrypts a portion of said payload containing said new address to generate an encrypted data and includes said encrypted data in said request[0043].
- 30. As per claim 60, Bahl discloses wherein said address block includes an authentication data in said payload, wherein said authentication data authenticates that said payload is sent from said first system[0024-0026].
- 31. As per claim 62, Bahl discloses wherein said secure connection is provided using said SA both before and after said the change of said self_address such that said secure communication can be provided with minimal overhead even if said self_address changes[0043].
- 32. As per claim 63, Bahl discloses wherein said secure transmission block receives from said second end machine a third packet in response to said second packet[0038, 0041].

- 33. As per claim 64, Bahl discloses wherein said connection management block sends a request to said second end machine, wherein said request indicates that said self_address has changed to said new address, said connection management block receiving a response from said second end machine, where said response indicates whether said new address is bound to said SA in said second machine, wherein said second packet is sent after receiving said response[0005, 0041-0043].
- 34. As per claim 65, Bahl discloses wherein a plurality of secure connections are provided between said first end machine and said second end machine, wherein a plurality of SAs are present associated with corresponding ones of said plurality of secure connections, wherein said address block includes an identifier associated with each of said plurality of SAs in said request, wherein said response indicates whether said new address is bound to all of said plurality of SAs in said second end machine[0005, 0030, 0033, 0043].
- 35. As per claim 66, Bahl discloses wherein said connection management block operates according to Internet Security Association and Key Management Protocol (ISAKMP), and wherein said request is sent consistent with a format specified by ISAKMP[0030-0031].
- 36. As per claim 67, Bahl discloses wherein at least some of said first set of attributes are contained in a ISAKMP SA[0032-0033].
- 37. As per claim 68, Bahl discloses a second end machine providing a secure connection to a first end machine, said second end machine comprising: a connection management block negotiating a first set of attributes of a security association (SA) with said first end machine[0005, 0033], wherein said first set of attributes are used to provide said secure

Application/Control Number: 10/708,402

Art Unit: 2439

connection to said first end machine; and a memory storing a security association database (SAD) indicating that said SA is bound to a first address, wherein said first address comprises a self_address of said first end machine, wherein said connection management block receives a request indicating that said self_address of said first end machine is changed to a new address, changes said SAD to indicate that said SA is bound to said new address, wherein said new address is contained in a payload portion of a packet forming said request[0041-0043].

Page 10

- 38. As per claim 69, Bahl discloses wherein said payload portion is received in an encrypted format, said connection management block decrypting said payload portion to determine said new address[0031].
- 39. As per claim 70, Bahl discloses further comprising a secure transmission block receiving a first packet from said first end machine, wherein said first packet is received using said first address, wherein said first packet is received before receiving said request, said secure transmission block receiving a second packet from said first end machine, wherein said second packet is received using said new address, wherein said second packet is received after receiving said request, wherein said secure transmission block processes said first packet and said second packet using said SA[0005, 0032-0033].
- 40. As per claim 71, Bahl discloses wherein said connection management block receives a request from said first end machine, wherein said request indicates that said self_address has changed to said new address, said connection management block sending a response to said first end machine after changing said SAD, wherein said response indicates whether said new address

is bound to said SA, wherein said second packet is received after sending said response[0005, 0041-0043].

- 41. As per claim 72, Bahl discloses wherein a plurality of secure connections are provided between said first end machine and said second end machine, wherein a plurality of SAs are present associated with corresponding ones of said plurality of secure connections, wherein said request includes an identifier associated with each of said plurality of SAs in said request, wherein said response indicates whether said new address is bound to all of said plurality of SAs[0005, 0032-0033].
- 42. As per claim 73, Bahl discloses wherein said negotiating is performed according to Internet Security Association and Key Management Protocol (ISAKMP), and wherein said request is sent consistent with a format specified by ISAKMP[0030].
- 43. As per claim 74, Bahl discloses wherein at least some of said first set of attributes are contained in a ISAKMP SA[0032-0033].
- 44. As per claim 75, Bahl discloses wherein said first end device comprises a gateway[0021].

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to JENISE E. JACKSON whose telephone number is (571)272-3791. The examiner can normally be reached on Increased Flex time, but generally in the office M-Fri(8-4:30)..

Application/Control Number: 10/708,402 Page 12

Art Unit: 2439

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Kambiz Zand can be reached on (571) 272-3811. The fax phone number for the

organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

February 13, 2009 /J. E. J./ Examiner, Art Unit 2439

/Kambiz Zand/

Supervisory Patent Examiner, Art Unit 2434